

THE MOST ADVANCED COMMERCIAL INDOOR BIKE EVER MADE

MODEL	AtomX
HEIGHT	44.09" to 57.08"
WIDTH	26.77"
LENGTH	48.81" - 56.69" (including tablet)
FOOTPRINT	Floor space = 39.37" x 26.77" Footprint inc tablet = 56.69" x 26.77"
FEET	Adjustable height
ROLLERS	Transportation rollers fitted
BOTTOM BRACKET	ISIS Drive
Q-FACTOR	6.29" (160mm)
CRANK LENGTH	6.69"
PEDALS	Clip in toe cages provided for all territories USA: E14 Pedals, SPD compatible Rest of World: Combination Pedals, Look Keo and SPD compatible
SADDLE	Racing and comfort saddles included
PERFORMANCE TOUCHSCREEN	Screen - 11.6" Full HD. Connectivity - WiFi, BLE 4, ANT+, NFC Operating system - Android 9 Storage - 32gb
SHIFTERS	Each 3 buttons, hard-wired fully integrated digital shifters with vibration motor
MAX RIDER WEIGHT	330lbs
MAX RIDER HEIGHT	6'5"
POWER RANGE	0 - 2000W+





PRO/TRAINER TOUCHSCREEN PRICE: \$4,195

THE EVOLUTION OF A PIONEER

MODEL	Icon
HEIGHT	52.75"
WIDTH	25.98"
LENGTH	57.08"
FOOTPRINT	Floor space= 49.21" x 25.98" Footprint inc tablet 57.08" x 52.98"
FEET	5cm diameter rubber feet, adjustable height
ROLLERS	Transportation rollers fitted
BOTTOM BRACKET	ISIS Drive
Q-FACTOR	6.88" (175mm)
CRANK LENGTH	6.69"
PEDALS	Clip in toe cages provided for all territories USA: E14 Pedals, SPD compatible Rest of World: Combination Pedals, Look Keo and SPD compatible
SADDLE	Racing and comfort saddles both included
PERFORMANCE TOUCHSCREEN	Screen - 11.6" Full HD. Connectivity - WiFi, BLE 4, ANT+, NFC Operating system - Android 9 Storage - 32gb
MAX RIDER WEIGHT	330lbs
MAX RIDER HEIGHT	6'5"
POWER RANGE	0-2000W





PRO/TRAINER PRICE: \$2,995

THE GENRE-DEFINING PERFORMANCE BIKE

MODEL	Pro/Trainer
HEIGHT	51.18"
WIDTH	25.98"
LENGTH	49.21"
FEET	5cm diameter rubber feet, adjustable height
ROLLERS	Transportation rollers fitted
BOTTOM BRACKET	ISIS Drive
CRANK LENGTH	6.69"
PEDALS	Combination pedals fitted as standard
SADDLE	Race and Comfort saddles included
MAX RIDER WEIGHT	330lbs
MAX RIDER HEIGHT	6'5"
POWER RANGE	0-3760W
MAX RIDER WEIGHT MAX RIDER HEIGHT	330lbs 6'5"

